



International Standard ANSI/NACE MR0103-2015/ISO 17945:2015 (R2023)

Identical to ISO 17945:2015

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

An American National Standard Approved February 22, 2023

Reference number

ANSI/NACE MR0103-2015/ISO 17945:2015 (R2023)

© AMPP/ISO 2023

©2023 Association for Materials Protection and Performance (AMPP). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise) without the prior written permission of AMPP.

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

COPYRIGHT PROTECTED DOCUMENT

These materials are subject to copyright claims of ISO and AMPP. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of AMPP. All requests pertaining to the NACE MR0103/ISO 17945 standard should be submitted to AMPP. All rights reserved.

International Organization for Standardization (ISO)
ISO Central Secretariat
BIBC II
Chemin de Blandonnet 8
CP 401
1214 Vernier, Geneva
Switzerland
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47

Web: www.iso.ch

Association for Materials Protection and Performance (AMPP)
15835 Park Ten Place
Houston, TX 77084-5145
Tel. +1 281-228-6223
Fax +1 281-228-6300
Web: www.ampp.org

Document History

2023-01-30: Reaffirmed by AMPP Standards Committee (SC) 08, Metallic Material Selection & Testing

AMPP values your input. To provide feedback on this standard, please contact: standards@ampp.org

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

| Foreword | | | | 6 | | | |
|--------------|-----------------------------|---|--|----|--|--|--|
| Introduction | | | | 6 | | | |
| 1 | Scope | | | | | | |
| 2 | Norma | tive refer | ences | 7 | | | |
| 3 | Terms | Terms and definitions | | | | | |
| 4 | Symbo | ols and ab | breviated terms | 9 | | | |
| 5 | Responsibilities | | | 9 | | | |
| | 5.1 | Respor | nsibilities of the end user | 9 | | | |
| | 5.2 | Respor | nsibility of the manufacturer | 10 | | | |
| 6 | Factors contributing to SSC | | | | | | |
| | 6.1 | Genera | al parameters affecting SSC | 10 | | | |
| | 6.2 | Effect of | of material condition and stress level on susceptibility to SSC | 10 | | | |
| | 6.3 | Effect of | of hydrogen permeation flux on SSC | 10 | | | |
| | 6.4 | Effect of | of elevated temperature exposure on SSC | 11 | | | |
| | 6.5 | Factors | s affecting time to failure due to SSC | 11 | | | |
| | 6.6 | | for establishing whether equipment falls within the scope International Standard | 11 | | | |
| 7 | Materi | als includ | ed in this International Standard | 12 | | | |
| 8 | Hardn | ess requirements1 | | | | | |
| 9 | Proced | Procedure for the addition of new materials or processes | | | | | |
| | 9.1 | General balloting requirements1 | | | | | |
| | 9.2 | Field experience data requirements1 | | | | | |
| | 9.3 | Laboratory test data requirements1 | | | | | |
| 10 | New re | ew restrictions and deleted materials | | | | | |
| 11 | Qualifi | ualification of unlisted alloys, conditions, and/or processes for specific applications | | | | | |
| 12 | Standa | Standard road map | | | | | |
| 13 | Ferrou | Ferrous materials | | | | | |
| | 13.1 | Carbor | and alloy steels | 16 | | | |
| | | 13.1.1 | Requirements for all carbon and alloy steels | 16 | | | |
| | | 13.1.2 | Requirements for carbon steels listed as P-No. 1 Group 1 or 2 in Section IX of the ASME BPVC | 16 | | | |
| | | 13.1.3 | Requirements for other carbon steels | 17 | | | |
| | | 13.1.4 | Requirements for alloy steels listed with P-numbers in Section IX of the ASME BPVC | | | | |
| | | 13.1.5 | Requirements for other alloy steels | | | | |

| | | 13.1.6 Requirements for cold-formed carbon and alloy steels | 1 | | | |
|----|--------|---|----|--|--|--|
| | | 13.1.7 Welding requirements for carbon steels listed as P-No. 1 in Section IX of the ASI BPVC | | | | |
| | | 13.1.8 Welding requirements for alloy steels listed as P-No. 3, 4, or 5A in Section IX of t ASME BPVC | | | | |
| | | 13.1.9 Corrosion resistant weld overlays, hard facing weld overlays, cladding, and thern spray coatings on carbon steels and alloy steels | | | | |
| | 13.2 | Cast iron and ductile iron | 19 | | | |
| | 13.3 | 3 Ferritic stainless steels | | | | |
| | 13.4 | Martensitic stainless steels | 19 | | | |
| | | 13.4.1 Conventional martensitic stainless steels | 19 | | | |
| | | 13.4.2 Low-carbon martensitic stainless steels | 19 | | | |
| | | 13.4.3 Welding and overlays on martensitic stainless steels | 20 | | | |
| | 13.5 | Austenitic stainless steels | 20 | | | |
| | 13.6 | Specific austenitic stainless steel grades | 21 | | | |
| | 13.7 | Highly alloyed austenitic stainless steels | 21 | | | |
| | 13.8 | Duplex stainless steels | 22 | | | |
| | | 13.8.1 General requirements for duplex stainless steels | 22 | | | |
| | | 13.8.2 Welding requirements for duplex stainless steels | 22 | | | |
| | 13.9 | Precipitation-hardenable stainless steels | 22 | | | |
| | | 13.9.1 Austenitic precipitation-hardenable stainless steel | 22 | | | |
| | | 13.9.2 Martensitic precipitation-hardenable stainless steels | 22 | | | |
| | | 13.9.3 Welding requirements for precipitation-hardenable stainless steels | 23 | | | |
| 14 | Nonfe | Nonferrous materials | | | | |
| | 14.1 | 14.1 Nickel alloys | | | | |
| | | 14.1.1 Solid-solution nickel alloys | 24 | | | |
| | | 14.1.2 Precipitation-hardenable nickel alloys | 25 | | | |
| | 14.2 | Cobalt-Nickel-chromium-molybdenum alloys2 | | | | |
| | 14.3 | Cobalt-nickel-chromium-tungsten alloys | 26 | | | |
| | 14.4 | Titanium alloys20 | | | | |
| | 14.5 | Aluminum alloys2 | | | | |
| | 14.6 | Copper alloys2 | | | | |
| 15 | Fabric | ation requirements | 27 | | | |
| | 15.1 | General fabrication requirements | 27 | | | |
| | 15.2 | Corrosion resistant overlays, hard facing overlays, and cladding | 27 | | | |
| | 15.3 | Welding | 27 | | | |
| | 15.4 | Cladding on carbon steels, alloy steels, and martensitic stainless steels2 | | | | |
| | 15.5 | Identification stamping2 | | | | |
| | 15.6 | Threading | 28 | | | |
| | | 15.6.1 Machine-cut threads | 28 | | | |
| | | 15.6.2 Cold-formed (rolled) threads | 28 | | | |
| | 15.7 | Cold-deformation processes | 29 | | | |

| 16 | Bolting | Bolting | | | |
|-----------|----------------|---|----|--|--|
| | 16.1 | General bolting requirements | 29 | | |
| | 16.2 | Exposed bolting | 29 | | |
| | 16.3 | Nonexposed bolting | 30 | | |
| 17 | Plating | , coatings, and diffusion processes | 30 | | |
| 18 | Specia | Special components | | | |
| | 18.1 | 1 General requirements for special components | | | |
| | 18.2 | Bearings | | | |
| | 18.3 | Springs | | | |
| | 18.4 | Instrumentation and control devices | 31 | | |
| | | 18.4.1 General requirements for instrumentation and control devices | 31 | | |
| | | 18.4.2 Diaphragms, pressure-measuring devices, and pressure seals | 31 | | |
| | 18.5 | Seal rings and gaskets | 31 | | |
| | 18.6 | Snap Rings | 32 | | |
| | 18.7 | Special process parts | 32 | | |
| 19 | Valves | | 32 | | |
| 20 | Compr | Compressors and pumps | | | |
| Annex A | A (informative |) Sulfide species plot | 33 | | |
| Annex E | 3 (informative | e) Background information on hardness testing and requirements | 34 | | |
| Annex (| C (normative) | Welding procedure qualification hardness survey layouts | 38 | | |
| Bibliogra | anhv | | 46 | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: <u>Foreword — Supplementary information</u>.

The committee responsible for this document is ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries.*

Introduction

The term "wet H₂S cracking", as used in the refining industry, covers a range of damage mechanisms that can occur because of the effects of hydrogen charging in wet H₂S refinery or gas plant process environments. One of the types of material damage that can occur as a result of hydrogen charging is sulfide stress cracking (SSC) of hard weldments and microstructures, which is addressed by this International Standard. Other types of material damage include hydrogen blistering, hydrogen-induced cracking (HIC), and stress-oriented hydrogen-induced cracking (SOHIC), which are not addressed by this International Standard.

Historically, many end users, industry organizations (e.g., API), and manufacturers that have specified and supplied equipment and products such as rotating equipment and valves to the refining industry have used NACE MR0175/ISO 15156 to establish materials requirements to prevent SSC. However, it has always been recognized that refining environments are outside the scope of NACE MR0175/ISO 15156, which was developed specifically for the oil and gas production industry. In 2003, the first edition of NACE MR0103 was published as a refinery-specific sour service metallic materials standard. This International Standard is based on the good experience gained with NACE MR0175/ISO 15156, but tailored to refinery environments and applications. Other references for this International Standard are NACE SP0296, NACE Publication 8X194, NACE Publication 8X294, and the refining experience of the task group members who developed NACE MR0103.

The materials, heat treatments, and material property requirements set forth in NACE MR0103 are based on extensive experience in the oil and gas production industry, as documented in NACE MR0175/ISO 15156, and were deemed relevant to the refining industry by the task group.

This International Standard was developed on the basis of NACE MR0103.

Petroleum, petrochemical and natural gas industries — Metallic materials resistant to sulfide stress cracking in corrosive petroleum refining environments

1. Scope

This International Standard establishes material requirements for resistance to SSC in sour petroleum refining and related processing environments containing H_2S either as a gas or dissolved in an aqueous (liquid water) phase with or without the presence of hydrocarbon. This International Standard does not include and is not intended to include design specifications. Other forms of wet H_2S cracking, environmental cracking, corrosion, and other modes of failure are outside the scope of this International Standard. It is intended to be used by refiners, equipment manufacturers, engineering contractors, and construction contractors.

Specifically, this International Standard is directed at the prevention of SSC of equipment (including pressure vessels, heat exchangers, piping, valve bodies, and pump and compressor cases) and components used in the refining industry. Prevention of SSC in carbon steel categorized under P-No. 1 in Section IX of the ASME Boiler and Pressure Vessel Code (BPVC) is addressed by requiring compliance with NACE SP0472.

This International Standard applies to all components of equipment exposed to sour refinery environments (see Clause 6) where failure by SSC would (1) compromise the integrity of the pressure-containment system, (2) prevent the basic function of the equipment, and/or (3) prevent the equipment from being restored to an operating condition while continuing to contain pressure.

2. Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NACE Standard TM0177, Laboratory Testing of Metals for Resistance to Sulfide Stress Cracking and Stress Corrosion Cracking in H₂S Environments⁽¹⁾

ANSI/NACE MR0175/ISO 15156, Petroleum and natural gas industries — Materials for use in $\rm H_2S$ -containing environments in oil and gas production⁽¹⁾

ASTM A833, Standard Practice for Indentation Hardness of Metallic Materials by Comparison Hardness Testers

ASTM E384, Standard Test Method for Knoop and Vickers Hardness of Materials

ASTM E562, Standard Test Method for Determining Volume Fraction by Systematic Manual Point Count

SAE AMS2430, Shot Peening, Automatic

⁽¹⁾ AMPP, 15835 Park Ten Place, Houston, TX 77084-5145, USA.